







Innovative Designs Inspiring Change.

Kitchen Composter™ Series

Composting within Reach

Product Data Sheet | Version 1.5







View the Kitchen Composter™ Series Online!











COMPOSTING WITHIN REACH

Composting at home, work, or school has never been more convenient with the Kitchen Composter™. It's portable, lightweight, and even fits in compact spaces. An optional vented lid features a built-in replaceable carbon filter that controls odors while allowing the organic matter to breathe. The smooth interior was designed to keep waste from building up in the bottom of the container and can be easily wiped with a cloth or rinsed with soap and water to clean.



POPULAR SKU'S






BODY SPECIFICATIONS

Below are the available Body Options for the Kitchen Composter™ Series. With this measurement guide you will find the right size Kitchen Composter™ Series container to fit your space. The measurement guide is the essence of various standard measuring methods. All measurements are in inches. Talk to your dedicated Busch Systems® sales representative for more information on how to choose the right size container for your space.







KC2000 (solid lid)

KC2000 (vented lid)

Body Shape	Height	Width	Depth	Weight	Capacity
KC2000 (solid lid)	12"H (304.8mm)	9.5"W (241.3mm)	9"D (228.6mm)	1.29lbs (0.585kg)	2.25 gal
KC2000 (vented lid)	12"H (304.8mm)	9.5"W (241.3mm)	9"D (228.6mm)	1.32lbs (0.599kg)	2.25 gal

STOCK BODY COLOR



Compost Green (PCR)

NOTE: Because different computers, monitors, and printers render colors and textures differently, actual finishes may vary from those shown here.



IDEAL BAG SIZES

	Kitchen Composter™
Ideal Bag Size (inches)	18 x 18

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

Component	Material(s)	Construction
Body and Lid	PCR Polypropylene	Bodies and lids are molded from durable 100% Post-Consumer Recycled Polypropylene.
Filter	Carbon	Activated charcoal filter

ENVIRONMENTAL CONSIDERATIONS

- All Kitchen Composter™ receptacle plastic components disassemble at end of life
- Low maintenance and extremely long service life
- Manufactured in North America
- Product Carbon Footprint Dashboard for 1 Unit Kitchen Composter™

Configurations		Post-Consumer Recycled Content	Total Recycled Content	3rd Party Certifications
Kitchen Composter™	Contact us	Contact us	Contact us	-

Busch Systems® is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation®. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.



LEAD TIME

Our standard lead times on the Kitchen Composter™ Series are 3-5 days, or 6-8 weeks for large or custom orders. Please contact us to discuss your specific timing requirements.

PRICING

Please contact us at 800.565.9931 or sales@buschsystems.com. At Busch Systems®, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER PLEASE SPECIFY

Quantity and body model. Talk to your dedicated Busch Systems® sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at buschsystems.com/contact-us/

INSTALLATION

Busch Systems® Kitchen Composter™ Series containers are hassle-free when it comes to installation. Each container comes fully assembled and individually boxed using high-density cardboard with high-recycled content to ensure safe and environmentally friendly transport.

To Install Your Kitchen Composter™ Series Containers:

- 1. Unbox body and lid
- 2. Using lid tabs, attach lid to body
- 3. Remove filter from plastic package
- 4. Insert filter into filter cage*
- 5. Snap filter cage into the top of the lid
- 6. (Optional) Place organics, recycling or waste bag liner in the container
- *Steps 4-6 apply if the container includes the vented lid

CARE & MAINTENANCE

Advantages of Busch Systems® PCR Polypropylene receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems® products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

Ajax Cream

- Flash (in water)
- Liquid Gumption
- Ajax Liquid (in water)
- Cutting Compound ('T. Cut')

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

GENERAL CARE

• Clean with a power washer or light scrub brush (outdoor/municipal bins)

- Clean with a mild detergent with damp sponge or cloth (indoor/office bins)
- For soil and stain remover, cleaners like Fantastik, Armor All or Acetone may be tried

THINGS TO AVOID

- Cleaners with chloride or bleach
- Solvents
- Abrasive detergents
- Steel wool or Scouring pads

www.buschsystems.com • 1.800.565.9931 • 81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5















