







Innovative Designs Inspiring Change.

Multi Recycler™ Series

Stacking up Sustainability.

Patent: US 895,0581

Product Data Sheet | Version 1.3







View the Multi Recycler[™] Series Online!









STACKING UP SUSTAINABILITY!

These stackable and sturdy 6-gallon bins are ideal recycling containers for small spaces such as dorms, classrooms & apartments. Choose from a variety of color options to differentiate streams and customize with labeling space on all four sides of the container to create the perfect compact recycling system.

- This multi purpose container saves space with its patented stackable design
- Ergonomic handle and slanted opening simplify disposal
- Various colors allow you to have multiple streams.

POPULAR SKU'S











102939

104507












RECEPTACLE SPECIFICATIONS

The measurement guide is the essence of various standard measuring methods. All measurements are in inches. The Multi Recycler™ Series containers are available in a single model configuration and are efficiently designed to neatly stack with each other.







| Height | Width | Depth | Weight | Capacity |
|------------------|--------------|------------------|------------------|----------|
| 13.5"H (342.9mm) | 15"W (381mm) | 10.5"D (266.7mm) | 1.85lbs (0.84kg) | 6 gal |

STOCK BODY COLORS













IDEAL BAG SIZES

| | 6 Gallons |
|-------------------------|-----------|
| Ideal Bag Size (inches) | 25 x 23 |

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

| Component | Material(s) | Construction | |
|-----------|-------------|--|--|
| Body | HDPE | Bodies are molded from durable HDPE and contain up to 35% recycled content | |
| Handle | HDPE | Handles are molded from durable HDPE and contain up to 35% recycled content | |

ENVIRONMENTAL CONSIDERATIONS

- All Multi Recycler™ Receptacles use a low energy, resource efficient manufacturing and curing process
- All Multi Recycler™ receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America
- Product Carbon Footprint Dashboard for 1 Unit Multi Recycler™

| Configurations | Post-Industrial | Post-Consumer | Total Recycled | 3rd Party |
|-----------------|------------------|------------------|----------------|----------------|
| | Recycled Content | Recycled Content | Content | Certifications |
| Multi Recycler™ | Contact us | Contact us | Contact us | - |

Busch Systems® is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation®. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.



LEAD TIME

Our standard lead times on the Multi Recycler™ Series are 3-5 days. For custom stamped or large orders the lead time is 6-8 weeks. Please contact us to discuss your specific timing requirements.

PRICING AND ORDERING

Please contact us at **800.565.9931** or **sales@buschsystems.com**. At Busch Systems®, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER PLEASE SPECIFY

Quantity, color & series model. Talk to your dedicated Busch Systems® sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at **buschsystems.com/contact-us/**

INSTALLATION

No installation required.

CARE & MAINTENANCE

Advantages of Busch Systems® HDPE & LDPE receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems® products, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

- Ajax Cream
- Liquid Gumption
- Flash (in water)
- Ajax Liquid (in water)
- Cutting compound ('T. Cut')

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

GENERAL CARE

- Clean with a mild detergent with damp sponge or cloth
- · For soil and stain remover, cleaners like Fantastik, Armor All or Acetone may be tried

THINGS TO AVOID

- Cleaners with chloride or bleach
- Solvents
- Abrasive detergents
- Steel wool or Scouring pads















